

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 10/05/78		3. REPORT TYPE AND DATES COVERED
4. TITLE AND SUBTITLE STUDIES OF ENVIRONMENTAL FATES OF DIMP AND DCPD, MONTHLY PROGRESS REPORT 3			5. FUNDING NUMBERS DAMD 17 78 C 8053	
6. AUTHOR(S) SPANGGORD, R.; CHOU, T.; MABEY, W.				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) SRI INTERNATIONAL MENLO PARK, CA			8. PERFORMING ORGANIZATION REPORT NUMBER 81340R08	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND FORT DETRICK, FREDERICK, MD			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) <p>THE OBJECTIVES OF THIS RESEARCH ARE TO CONDUCT LABORATORY EXPERIMENTS THAT WILL PREDICT THE PHOTOCHEMICAL AND BIOLOGICAL TRANSFORMATIONS OF DCPD AND DIMP IN THE SOILS AND WATERS OF ROCKY MOUNTAIN ARSENAL AND WILL PROVIDE A SEMIQUANTITATIVE EVALUATION OF DECOMPOSITION RATES OF AND PRODUCTS RESULTING FROM DCPD AND DIMP. DURING SEPTEMBER, 14 C-LABELED DCPD AND DIMP WERE RECEIVED, OXIDATION PRODUCTS OF DCPD WERE INVESTIGATED, THE MOLAR ABSORPTIVITIES OF DCPD AND DIMP WERE MEASURED, AND WORK CONTINUED TOWARD THE DEVELOPMENT OF ACCLIMATED CULTURES IN THE BIOTRANSFORMATION OF DCPD AND DIMP.</p> <p style="text-align: center;">DTIC QUALITY INSPECTED 3</p>				
14. SUBJECT TERMS CONTAMINANTS, FAUNA, FLORA, SOIL, GROUNDWATER, CHEMICALS, BIODEGRADATION			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT	

STUDIES OF ENVIRONMENTAL FATES OF DIMP AND DCPD

Monthly Progress Report 3

5 October 1978

Rocky Mountain Arsenal
 Environmental Center
 Golden, Colorado

By:

Ronald J. Spanggord, Ph.D.
 Tsong-Wen Chou, Ph.D.
 William R. Mabey, Ph.D.

FILE COPY

Prepared for:

Commander
 U.S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND
 ATTN: SGRD-UBG
 Fort Detrick
 Frederick, Maryland 21701

Contract No. DAMD 17-78-C-8053
 William Dennis, Project Officer

SRI Project LSU-7551

Approved by:

Peter Lim / *12/22*

Peter Lim, Director
 Pharmaceutical Analysis Laboratory

W. A. Skinner

W. A. Skinner, Executive Director
 Life Sciences Division

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification _____	
By _____	
Distribution / _____	
Availability Codes	
Dist	Avail and/or Special
A-1	

19950127 119



INTRODUCTION

The U.S. Army Medical Bioengineering Research and Development Laboratory has the responsibility of developing environmental standards for pollutants that contaminate the environment at Army installations. Two such pollutants at the Rocky Mountain Arsenal are dicyclopentadiene (DCPD) and diisopropylmethylphosphonate (DIMP).

The objectives of this research are to conduct laboratory experiments that will predict the photochemical and biological transformations of DCPD and DIMP in the soils and waters of Rocky Mountain Arsenal and will provide a semiquantitative evaluation of decomposition rates of and products resulting from DCPD and DIMP.

PROGRESS

During September, ^{14}C -labeled DCPD and DIMP were received, oxidation products of DCPD were investigated, the molar absorptivities of DCPD and DIMP were measured, and work continued toward the development of acclimated cultures in the biotransformation of DCPD and DIMP.

Analytical Chemistry

^{14}C -Labeled DCPD and DIMP (5 mCi each) were received from KOR Isotopes and will be used in soil biotransformation studies next month.

Distilled samples of DCPD (colorless, 98% purity by gc) developed a yellow hue only on the surface when stored in stoppered flasks under refrigeration; this indicates that chemical oxidation may play an important role in the environmental fate of DCPD. Gas chromatography profiles of this material are beginning to resemble the profile presented in Monthly Report No. 1 (page 5), with the major transformation product being represented by mass spectral scan 138, as shown in Figure 1. Mass spectral evidence indicates that the product may be represented by structure I formed by the allylic oxidation of DCPD; however, structures IIa and b must also be considered.

dicyclopentadiene





FIGURE 1 PROFILE OF DCPD OXIDATION PRODUCT



Mass spectral evidence indicates that the bridgehead carbon in the unknown product is intact.

This oxidative process has not been observed in biological or photochemical studies as yet; however, concentration levels may be too low to permit observation of this competitive process.

Biodegradation

DIMP-biodegrading microbes were obtained from the North Bog at RMA. For 5 weeks, they have been acclimating in aerated 9-liter bottles, static 4-liter bottles, and in a static 2-liter bottle at 10° C. No DIMP biodegradation has been indicated. Also, no DIMP degradation has been observed with periodic transfers of the microbes into shaker flasks with media and either DIMP and tris buffer or DIMP and tris buffer plus glucose, glycerol, or succinate as added carbon sources.

The microbes grew in medium containing tris buffer, glucose, and methyl phosphonate as the sole phosphate sources. This indicates that isopropylmethylphosphonate (IMP) may serve as a possible cosubstrate for DIMP degradation. We will test this possibility when we receive IMP.

Isopropanol was added to the 9-liter bottle sample, and the growth of microorganisms was sustained; however, the growth rate was slower than that in glucose medium. No DIMP was observed to biodegrade in this system with isopropanol as a cosubstrate.

DCPD-biodegrading organisms obtained from the North Bog at RMA are being acclimated. Because DCPD from water is highly volatile, DCPD is added periodically and its disappearance is monitored by comparison with a sterile control. Shaker flasks containing DCPD or DCPD plus glucose and yeast extract have been transferred twice a week. After 5 weeks, no acclimation of DCPD-biodegrading organisms has been obtained.

Similar acclimation studies with DCPD in RMA soils are in progress. No acclimated cultures have been obtained as yet. Cosubstrates, such as naphthalene, cyclohexane, and methylbutane, have not aided in the production of DCPD-degrading organisms.

Attempts have been initiated to obtain DIMP- and DCPD-biodegrading organisms from the Palo Alto Sewage plant, Palo Alto, California.

Photochemistry

The photochemical studies on DCPD have continued to be complicated by volatilization of DCPD from solution. Although the special Teflon® caps have alleviated the problem of volatilization losses during photolysis and sampling for glpc analysis, a problem still remains in preparation and transfer of the DCPD solutions into photolysis tubes. This problem is being corrected by construction of a special delivery system similar to one previously used in other studies where such volatilization problems occurred.

The uv-visible molar absorptivities for DCPD and DIMP have been measured in the solar spectral region and are as follows:

<u>λ</u>	<u>ϵ in $M^{-1}cm^{-1}$</u>	
	<u>DCPD</u>	<u>DIMP</u>
280	9.7	.33
300	6.3	.22
340	1.6	.16
380	.25	.11
420	.08	.10
460	.03	.08
500	.02	.08

The molar absorptivity for DCPD in the wavelength region 280 nm to 360 nm has proven very difficult to measure reproducibly; a statistical analysis of the data is currently under way.

FUTURE WORK

The acclimation of DCPD and DIMP microbes will continue in both RMA samples and local sewage sludge. Also, preliminary tests for soil degradation of labeled DCPD and DIMP will be initiated. Photochemical studies with DCPD should be completed within the next month.

Exhibit A is the performance schedule for project tasks, and Exhibit B is a graphic representation of expenditures to date.

EXHIBIT A PERFORMANCE SCHEDULE FOR PROJECT TASKS

TASK DESCRIPTION	1	2	3	4	5	6	7	8	9	10	11	12
	Months											
Sample collection												
Preliminary photochemical studies of DCPD												
Detailed photochemical studies of DCPD												
Preliminary photochemical studies of DIMP												
Detailed photochemical studies of DIMP												
Culture acclimation												
Biodegradation of DIMP												
Mineralization, DIMP water												
Mineralization, DIMP soil												
Soil activation, DIMP												
Biodegradation, DCPD												
Mineralization, DCPD water												
Mineralization, DCPD soil												
Soil activation, DCPD												
Analytical Development												
Product identifications												
Monthly reports												
Final report												
	4	8	12	16	20	24	28	32	36	40	44	48
	Weeks											

EXHIBIT B EXPENDITURES

